

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,838,552 B1
APPLICATION NO. : 09/709201
DATED : January 4, 2005
INVENTOR(S) : William M. Mitchell et al.

Page 1 of 2

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 4,

Line 64, replace "treatingq" with -- treating --.

Column 5,

Line 52, replace "HuEVEC-CP" with -- HuEVEC-CF --.

Column 21,

Lines 6 and 12, replace "EBB" with -- EBs --.

Column 23,

Line 24, replace "(IC)" with -- (IC), --; and

Line 28, replace "investigation correlation" with -- investigation. Correlation --.

Column 30,

Line 25, replace "as." with -- as --.

Column 32,

Line 63, replace "(Novagen. Inc.)" with -- (Novagen, Inc.) --.

Column 33,

Line 32, replace "yield>3" with -- yield >3 --.

Column 34,

Line 23, replace "post-itnmunization" with -- post-immunization --.

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,838,552 B1
APPLICATION NO. : 09/709201
DATED : January 4, 2005
INVENTOR(S) : William M. Mitchell et al.

Page 2 of 2

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 35,

Line 26, replace "calorimeter" with -- colorimeter --; and


Line 28, replace "yield>3" with -- yield >3 --.

Column 36,

Line 24, replace "chlamydia" with -- chlamydial --.

Signed and Sealed this

Twenty-seventh Day of June, 2006

A handwritten signature in black ink, reading "Jon W. Dudas". The signature is stylized, with a large, looped initial "J" and a cursive "Dudas".

JON W. DUDAS

Director of the United States Patent and Trademark Office